

----- MATERIAL SAFETY DATA SHEET -----
HOOF DRESSING
Fiebing

IDENTITY (As Used on Label and List): Hoof Dressing

SECTION I

MANUFACTURER'S NAME: FIEBING COMPANY, INC.
516 SOUTH 2ND STREET
MILWAUKEE, WI 53204-0125
EMERGENCY TELEPHONE NUMBER: 800-424-9300
TELEPHONE NUMBER FOR INFORMATION: (414) 271-5011
DATE PREPARED: 03/08/11

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components (Specific Chemical Identity: Common Name(s))	Other Limits Recommended	% (optional)
Severely Hydrotreated Heavy Naphthenic Distillate (CAS Reg No. 64742-52-5) OSHA PEL: ACGIH TLV:	N/A	-
Severely Hydrotreated Light Naphthenic Distillate (CAS Reg No. 64742-53-6) OSHA PEL: ACGIH TLV:	N/A	-
Exposure limit for total product as mineral oil mist in air: OSHA PEL: 5 mg/m3 ACGIH TLV: 5 mg/m3 (TLV/TWA); 10 mg/m3 (TLV/STEL)	None	

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: N.D.
VAPOR PRESSURE (mm Hg.): N.D.
VAPOR DENSITY (AIR = 1): N.D.
SPECIFIC GRAVITY (H2O = 1): Approx. 0.90
MELTING POINT: N.D.
EVAPORATION RATE (Butyl Acetate = 1): N.D.
SOLUBILITY IN WATER: Negligible
APPEARANCE AND ODOR: Dark brown oily liquid; mild
antiseptic sweet odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method Used): N/A (non-flammable)
FLAMMABLE LIMITS:
LEL: N/A
UEL: N/A
EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, foam,
water spray (fog).
SPECIAL FIRE FIGHTING PROCEDURES: Use water to keep fire

exposed containers cool. Do not use a direct stream of water. Product will float and can be reignited on surface of water. Material will not burn unless preheated. Wear NIOSH approved self-contained breathing apparatus in confined areas or as otherwise needed.

UNUSUAL FIRE AND EXPLOSION HAZARDS: "Empty" containers retain residue (liquid and/or vapor) and can be dangerous.

SECTION V - REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: Avoid heat, open flames.

INCOMPATIBILITY (Materials to Avoid): Avoid strong oxidizing agents, brass, bronze, copper and aluminum.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Carbon monoxide, sulfur oxides, aldehydes, fumes, smoke and other unidentified decomposition products.

HAZARDOUS POLYMERIZATION: Will Not Occur

CONDITIONS TO AVOID: N/A

SECTION VI - HEALTH HAZARD DATA

ROUTE(S) OF ENTRY:

INHALATION? Yes (Vapor or Mist)

SKIN? Yes

INGESTION? Yes

HEALTH HAZARDS (Acute and Chronic):

EYE CONTACT: Considered no more than minimally irritating to the eyes.

SKIN CONTACT: Acute dermal LD50 (rabbit) greater than 3.16 g/kg of body weight, considered mildly irritating to the skin.

INHALATION: Vapors or oil mist from this product may cause mild irritation of the upper respiratory tract.

INGESTION: Considered no more than slightly toxic if swallowed. Acute oral LD50 (rat) greater than 5 g/kg of body weight.

CARCINOGENICITY:

NTP? No

IARC MONOGRAPHS? No

OSHA REGULATED? No

SIGNS AND SYMPTOMS OF EXPOSURE: As noted above. Prolonged and repeated skin contact may lead to various skin disorders such as dermatitis, oil acne or folliculitis. Minute amounts aspirated into the lungs during ingestion may cause mild to severe pulmonary injury and possibly death.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

Preexisting skin and respiratory disorders may be aggravated by exposure to this product.

EMERGENCY AND FIRST AID PROCEDURES:

EYE CONTACT: Flush with water for 15 minutes. Get medical attention.

SKIN CONTACT: Wash with soap and water. If irritation occurs, get medical attention.

INHALATION: If overcome by vapor from hot product or oil mist immediately remove from exposure and call a physician. If breathing is irregular or has stopped, start resuscitation. Administer oxygen if available.
INGESTION: Do not induce vomiting. Call a physician immediately.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:
Keep product out of sewers and water courses. Minimize skin contact. May burn although not readily ignitable. Use cautious judgment when cleaning up large spills. Wear NIOSH approved respirator and protective clothing as appropriate. Dike and contain. Remove with vacuum truck or pump to storage salvage vessels. Soak up the residue with appropriate absorbent.
SMALL SPILLS: Absorb with an appropriate inert material.
WASTE DISPOSAL METHOD: Dispose of according to federal, state, county and local regulations.
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep containers closed when not in use. Do not store near heat, sparks, flame or strong oxidants. Minimize breathing vapor, mist or fumes. Avoid prolonged or repeated skin contact.
OTHER PRECAUTIONS: Keep from children's reach. Avoid eye contact.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION (Specify Type): None required normally. Wear NIOSH approved respirator in confined enclosed areas, if needed.
VENTILATION:
LOCAL EXHAUST: Needed to capture vapors, mists or fumes.
MECHANICAL (General): Adequate to maintain recommended exposure limits.
SPECIAL: N/A
OTHER: Use explosion-proof equipment.
PROTECTIVE GLOVES: Impervious gloves to avoid prolonged or repeated skin contact.
EYE PROTECTION: Chemical safety goggles.
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Chemical resistant apron, safety shower, eye wash fountain.
WORK/HYGIENIC PRACTICES: Wash thoroughly after handling. Remove contaminated clothing. Launder or dry clean before use.

N.D. = Not Determined
N.E. = Not Established
N/A = Not Applicable

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES: although preparer and owner have taken reasonable care in the preparation of this document, we extend no warranties and make no representation as to the accuracy or completeness

of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each user should make a determination as to the suitability of the information for their particular purpose(s). A request has been made to the manufacturer to approve the contents of this material safety data sheet. Upon receipt of any changes a new MSDS will be made available.

COMPAS Code: 12970413